

Built Strong Built Smooth



VIT-SMOOTH RANGE

2020 Price List

CONNECTING PIPES

CONNECTING PIPES

SYSTEM	NAME	FINISH	DESCRIPTION	ISSUE	DATE	PAGE
			Introduction			3C
			Offsets			4C
MF67	VIT-Smooth	Enamel	Award winning Vitreous Enamel 1.2mm	2	Oct 19	5C
MF77	Super MATT	Enamel	Smooth Matt Vitreous Enamel 1.0mm	3	Oct 19	8C
MF7	MI-VIT	Enamel	Traditional Style Enamel 1.4mm	11	Oct 19	10C
MF27	MI-VIT Lite	Enamel	Low Cost Enamel 1.0mm	6	Oct 19	12C
MF38	EuroVIT	Enamel	Smooth Vitreous Enamel 1.0mm	6	Oct 19	13C
MF47	UNI-Vit	Enamel	Traditional Style Enamel 1.4mm	2	Oct 19	14C
MF43	Mi-PELLET	Enamel	Vitreous Enamel Pellet Pipe	8	Oct 19	15C
MF31	EuroSW1	316 S/S	Smooth 1mm 316 S/S Single Wall Flue	25	Oct 19	16C
MF1	Sigma	316 S/S	SFL 1mm 316 S/S Single Wall Flue	1	Oct 19	17C
MF28	CPA	316 S/S	1mm 316 Stainless Steel Clay Pot Adaptors	11	Oct 19	18C
MF48	CPA-KIT	316 S/S	1mm 316 Stainless Steel Clay Pot Adaptor Kits	4	Oct 19	18C


Introduction

All vitreous enamel, 1mm Stainless Steel are used as connecting flue pipes from the appliance to the chimney and must only be used in the same room as the appliance is installed.

Clay pot adaptors allow an appliance to be connected directly to a ceramic or clay liner, the liner must be smoke tested to make sure it is in good condition, and must be installed within a masonry chimney.

Installation

The maximum installed length of vitreous enamel is 1.8 metres. 1mm Stainless Steel may also be used to reline existing masonry chimneys.



Distances from exposed combustible materials must be three times the diameter of the flue, for example, a 125mm flue pipe should be a minimum of 375mm away from anything combustible, unless otherwise specified by the manufacturer.

The connecting flue pipe must be suitably sealed with spigot end facing down (into the socket of the pipe below). As excessive

bends and horizontal runs can accumulate soot with the risk of blockage, the flue pipe should be kept as vertical as possible and the angle of bends should be no more than 45° from the vertical, unless you are coming out of the back of the stove where you must treat them as equal to 2 x 45° bend (one off set).

In the current Document J the maximum horizontal length of flue pipe allowed from the back of an appliance into any chimney is 150mm.

It is important that there is easy access for cleaning, particularly at any change of direction in the flue, you can use a factory made Swept 90° Bend with cleaning point or a 90° Tee with Cap.

Alternative method of Installation

In the new version of BS EN 15287-1 the maximum horizontal distance of flue pipe has been increased to 450mm so long as:

- A DEFRA exempt appliance or an appliance, which is limited to burning authorised smokeless fuel only is installed.
- A calculation according to BS EN 13384-1 has indicated safe operation of the proposed configuration, and the results of the calculation are left with the householder along with the appliance installation instructions.
- The chimney manufacturer and appliance manufacturer agree in writing to the proposed configuration.
- The total length of single wall connecting flue pipe is not more than 1500mm.
- The appropriate distances to combustible materials from both the appliance and the connecting flue pipe are maintained.

It is important that there is easy access for cleaning, particularly at any change of direction in the flue. This can be achieved with the use of swept elbows that incorporate both debris collection and an inspection point.

Flue Size





The size of the flue pipe used should be as recommended by the appliance manufacturer, and should not be smaller than the appliance outlet.

Maintenance

Provision should be made for inspecting and cleaning the chimney. This is particularly important on solid-fuel applications. It is recommended that chimneys serving solid fuel appliances be swept and maintained as frequently as necessary but at least once a year.

Offsets

Below are 45° offsets for each of our connecting pipe systems.

VIT SMOOTH	SUPER MATT 5" 6" EURO-VIT 4" 7" 8"					MI-VIT (swept)	1mm STAINLESS																																																																																										
																																																																																																	
<table><tr><td></td><td>100</td><td>125</td><td>150</td></tr><tr><td>A</td><td>120</td><td>120</td><td>100</td></tr><tr><td>B</td><td>120</td><td>120</td><td>100</td></tr><tr><td>C</td><td>150</td><td>150</td><td>120</td></tr><tr><td>D</td><td>400</td><td>400</td><td>310</td></tr></table>		100	125	150	A	120	120	100	B	120	120	100	C	150	150	120	D	400	400	310	<table><tr><td></td><td>100</td><td>125</td><td>150</td><td>175</td><td>200</td></tr><tr><td>A</td><td>50</td><td>77</td><td>70</td><td>95</td><td>80</td></tr><tr><td>B</td><td>100</td><td>97</td><td>90</td><td>127</td><td>107</td></tr><tr><td>C</td><td>110</td><td>120</td><td>130</td><td>135</td><td>150</td></tr><tr><td>D</td><td>308</td><td>337</td><td>340</td><td>380</td><td>390</td></tr></table>						100	125	150	175	200	A	50	77	70	95	80	B	100	97	90	127	107	C	110	120	130	135	150	D	308	337	340	380	390	<table><tr><td></td><td>125</td><td>150</td></tr><tr><td>A</td><td>65</td><td>80</td></tr><tr><td>B</td><td>95</td><td>110</td></tr><tr><td>C</td><td>110</td><td>137</td></tr><tr><td>D</td><td>285</td><td>330</td></tr></table>		125	150	A	65	80	B	95	110	C	110	137	D	285	330	<table><tr><td></td><td>125</td><td>150</td><td>175</td><td>200</td></tr><tr><td>A</td><td>60</td><td>65</td><td>75</td><td>80</td></tr><tr><td>B</td><td>107</td><td>107</td><td>112</td><td>15</td></tr><tr><td>C</td><td>127</td><td>125</td><td>138</td><td>144</td></tr><tr><td>D</td><td>310</td><td>304</td><td>332</td><td>346</td></tr></table>		125	150	175	200	A	60	65	75	80	B	107	107	112	15	C	127	125	138	144	D	310	304	332	346
	100	125	150																																																																																														
A	120	120	100																																																																																														
B	120	120	100																																																																																														
C	150	150	120																																																																																														
D	400	400	310																																																																																														
	100	125	150	175	200																																																																																												
A	50	77	70	95	80																																																																																												
B	100	97	90	127	107																																																																																												
C	110	120	130	135	150																																																																																												
D	308	337	340	380	390																																																																																												
	125	150																																																																																															
A	65	80																																																																																															
B	95	110																																																																																															
C	110	137																																																																																															
D	285	330																																																																																															
	125	150	175	200																																																																																													
A	60	65	75	80																																																																																													
B	107	107	112	15																																																																																													
C	127	125	138	144																																																																																													
D	310	304	332	346																																																																																													

Why choose VITSmooth?

PERFECT WELDING AND FINISH

A picture is worth a 1000 words!

VIT-Smooth is the new industry standard when it comes to welding and finishing of vitreous enamel. The welds are almost invisible. All the welds on bends are ground down so they are totally smooth. The texture and colour of the enamel is very matt black. Which would you prefer?



EVEN THICKER

VIT-Smooth uses 1.2mm thick zero carbon steel, then coats of powdered enamel are added giving a total thickness of 1.4mm to 1.5mm. Most of our competitors use 1.0mm steel or even thinner!



INSET DOORS

VIT-Smooth doors are inset into the pipes and bends (Ø150mm only), this gives a beautiful smooth appearance.

All doors are kept in place by a simple bar running the length of the door which is held in place by an enameled screw. Common problems with competitor's doors are that they are usually secured by 2 screws, which tend to overheat, or after being used once, the heads corrode.



ENVIRONMENTALLY FRIENDLY

A new and complex process of using a powdered enamel to coat the zero-carbon steel has been perfected. This is an environmentally friendly process with the powder being constantly recirculated. The old method generates highly toxic chemicals like hydrofluoric acid.

COMPETITIVE PRICE

Despite all these benefits VIT-Smooth is very competitively priced, even against much thinner products.



VIT-SMOOTH

Vitreous Enamel Connecting Pipe 1.4mm - Super Smooth Joints



FUEL TYPE:	Gas, oil and approved solid fuels
DIAMETER RANGE:	100mm, 125mm, 150mm, 175mm, 200mm
INNER CASING MATERIAL	1.2mm low carbon mild steel
OUTER CASING MATERIAL	Powder Enamel
JOINT METHOD:	Friction fit, only requires jointing compound at the appliance connection
DESIGNATION (SEAL):	EN1856-2 T600 N1 D Vm L80120 G450 NMØ150mm
CE APPROVED:	Yes
MAX OPERATING TEMPERATURE:	600°C
WARRANTY:	2 Year product warranty

ADAPTORS



Ø INT. MM	EURO STOVE ADAPTOR		INCREASER		STOVE CONNECT PIPE		ADAPTOR TRADITIONAL STOVE	
Ø 100	-	-	67-100-002	£25.54	-	-	-	-
Ø 125	67-125-001	£32.09	67-125-002	£26.59	67-125-004	£30.57	67-125-005	£14.51
Ø 150	67-150-001	£32.82	67-150-002	£34.19	67-150-004	£30.57	67-150-005	£15.18
Ø 175	-	-	67-175-002	£34.02	-	-	-	-

PIPES



NEW



NEW




Ø INT. MM	PIPE 1000MM		PIPE 750MM		PIPE 500MM		PIPE 250MM		PIPE 150MM	
Ø 100	67-100-010	£31.55	-	-	67-100-011	£26.21	67-100-012	£13.65	-	-
Ø 125	67-125-010	£31.44	67-125-014	£29.44	67-125-011	£20.49	67-125-012	£13.73	67-125-013	£13.69
Ø 150	67-150-010	£34.05	67-150-014	£33.05	67-150-011	£21.13	67-150-012	£16.84	67-150-013	£15.84
Ø 175	67-175-010	£52.67	-	-	67-175-011	£30.98	67-175-012	£24.36	-	-
Ø 200	67-200-010	£63.84	-	-	67-200-011	£37.38	67-200-012	£25.62	-	-








Ø INT. MM	1 PIECE ADJUSTABLE PIPE 500MM		2 PIECE ADJUSTABLE PIPE 500MM		2 PIECE ADJUSTABLE PIPE 250MM		EURO STARTER PIPE 1000MM		EURO STARTER PIPE 500MM	
Ø 100	67-100-020	£68.85	-	-	-	-	-	-	-	-
Ø 125	67-125-020	£34.02	67-125-021	£59.43	67-125-022	£46.79	-	-	-	-
Ø 150	67-150-020	£34.02	67-150-021	£65.35	67-150-022	£50.19	67-150-025	£47.10	67-150-026	£38.81
Ø 175	67-175-020	£81.86	-	-	-	-	-	-	-	-
Ø 200	67-200-020	£92.36	-	-	-	-	-	-	-	-

CONNECTING PIPES - VIT-SMOOTH - VITREOUS ENAMEL

PIPES

			
Ø INT. MM	EURO STARTER PIPE 250MM	TRADITIONAL STARTER PIPE 500MM	PIPE WITH DAMPER 250MM
Ø 125	-	67-125-006 £31.00	67-125-003 £45.78
Ø 150	67-150-027 £37.02	67-150-006 £34.00	67-150-003 £31.61

PIPES WITH DOOR


					
Ø INT. MM	PIPE WITH DOOR 1000MM	PIPE WITH DOOR 500MM	PIPE WITH DOOR 250MM	EURO STARTER PIPE WITH DOOR - 1000MM	EURO STARTER PIPE WITH DOOR - 500MM
Ø 100	-	67-100-016 £39.35	-	-	-
Ø 125	67-125-015 £42.39	67-125-016 £36.16	67-125-017 £28.73	-	-
Ø 150	67-150-015 £53.68	67-150-016 £37.72	67-150-017 £28.77	67-150-028 £67.41	67-150-029 £62.64
Ø 175	-	67-175-016 £43.89	-	-	-
Ø 200	-	-	67-200-017 £31.12	-	-

ELBOWS AND TEES

					
Ø INT. MM	SMOOTH ELBOW 90°	ADJUSTABLE ELBOW 0-90° STAINLESS STEEL	SMOOTH ELBOW 45°	SMOOTH ELBOW 33°	90° TEE WITH CAP
Ø 100	67-100-030 £31.50	-	67-100-031 £30.24	-	67-100-035 £68.51
Ø 125	67-125-030 £31.92	67-125-033 £89.25	67-125-031 £30.24	67-125-032 £30.24	67-125-035 £59.43
Ø 150	67-150-030 £42.63	67-150-033 £90.26	67-150-031 £27.55	67-150-032 £30.24	67-150-035 £61.36
Ø 175	67-175-030 £68.13	-	67-175-031 £51.50	-	-
Ø 200	67-200-030 £72.20	-	67-200-031 £59.25	-	-

	
Ø INT. MM	SMOOTH ELBOW 11°
Ø 125	67-125-038 £30.24
Ø 150	67-150-038 £30.24

ELBOWS WITH DOOR

			
Ø INT. MM	SMOOTH ELBOW WITH DOOR 90°	SMOOTH ELBOW WITH DOOR 45°	SMOOTH ELBOW WITH DOOR 33°
Ø 125	67-125-040 £50.40	67-125-041 £41.66	67-125-042 £41.66
Ø 150	67-150-040 £52.96	67-150-041 £42.00	67-150-042 £42.00
Ø 175	67-175-040 £75.13	67-175-041 £61.24	-

www.mi-flues.com





Sales: 01253 600 060
Sales Fax: 01253 600 061



E-mail: sales@mi-flues.com
E. & O.E.

OFFSETS

				
Ø INT. MM	STOVE OFFSET	STOVE OFFSET WITH DOOR	STOVE OFFSET WITH ADJUSTABLE PIPE	SHORT STOVE OFFSET
Ø 125	67-125-045 £53.66	67-125-046 £68.63	67-125-047 £57.75	67-125-048 £52.01
Ø 150	67-150-045 £82.95	67-150-046 £65.48	67-150-047 £65.63	67-150-048 £82.00

ACCESSORIES

					
Ø INT. MM	ADJUSTABLE WALL BRACKET	90° ROSETTE COLLAR SPRING	90° ROSETTE COLLAR FLAT	45° ROSETTE COLLAR ANGLED SPLIT	FLUE DAMPER
Ø 100	67-100-051 £22.22	67-100-090 £19.42	- -	- -	67-100-100 £13.44
Ø 125	67-125-051 £16.02	67-125-090 £16.76	67-125-091 £27.57	67-125-092 £32.61	67-125-100 £8.30
Ø 150	67-150-051 £17.31	67-150-090 £25.79	67-150-091 £28.62	67-150-092 £33.60	67-150-100 £8.88
Ø 175	67-175-051 £23.77	67-175-090 £33.55	- -	- -	- -
Ø 200	67-200-051 £24.61	67-200-090 £33.98	- -	- -	- -

		
Ø INT. MM	SPARE DOOR	TEST HOLE COVER BAND
Ø 125	67-125-101 £10.69	77-125-120 £38.57
Ø 150	67-150-101 £10.71	77-150-120 £39.15
Ø 175	67-175-101 £21.00	77-180-120 £39.74
Ø 200	67-200-101 £21.00	77-200-120 £40.31

VIT-Smooth DIMENSIONS

					
Ø INT. MM	EURO STOVE ADAPTOR	INCREASER	STOVE CONNECT PIPE	ADAPTOR TRADITIONAL STOVE	ADAPTOR TRADITIONAL STOVE
	CODE OD	CODE OD	CODE OD	CODE OD	CODE OD
Ø 100	- -	67-100-002 95mm	- -	- -	- -
Ø 125	67-125-001 116mm	67-125-002 123mm	67-125-004 123mm	67-125-005 129mm	67-125-006 129mm
Ø 150	67-150-001 134mm	- -	67-150-004 150mm	67-150-005 154mm	67-150-006 154mm

SUPER MATT

Vitreous Enamel Connecting Pipe -
Very Matt Colour



FUEL TYPE:	Gas, oil and approved solid fuels
DIAMETER RANGE:	100mm, 125mm, 150mm
INNER CASING MATERIAL:	1.0mm low carbon mild steel
OUTER CASING MATERIAL:	Enamel
JOINT METHOD:	Friction fit, only requires jointing compound at the appliance connection
DESIGNATION (SEAL):	EN1856-2 T600 N1 D Vm L80100 G375 NMØ125mm
HETAS APPROVED:	Yes
CE APPROVED:	Yes
MAX OPERATING TEMPERATURE:	600°C
WARRANTY:	1 Year product warranty

To generate ORDER CODE:

SYSTEM + **DIAMETER (Ø)** + **SKU**

e.g. Pipe 1000mm Ø150mm = 77-150-010

ADAPTORS	SYSTEM	SKU	Ø100	Ø125	Ø150
Continental Stove Adaptor	77	001	-	£102.81	£102.81
Increaser	77	002	£102.09	£102.09	£102.09
Traditional Stove Adaptor	77	006	-	£47.68	-
Stove Connect Pipe	77	004	-	£47.19	£51.05

PIPES	SYSTEM	SKU	Ø100	Ø125	Ø150
Pipe 1000mm	77	010	-	£78.88	£81.21
Pipe 500mm	77	011	-	£51.29	£52.78
Pipe 250mm	77	012	-	£39.46	£40.62
Starter Pipe 1000mm	77	025	-	-	£141.97
Starter Pipe 500mm	77	026	-	-	£108.97
Starter Pipe 250mm	77	027	-	-	£95.00
Adjustable Pipe	77	020	-	£91.75	£96.71
Pipe with Damper	77	003	-	£104.20	£115.49

PIPES WITH DOOR	SYSTEM	SKU	Ø100	Ø125	Ø150
Pipe with Door 1000mm	77	015	-	£125.28	£130.18
Pipe with Door 500mm	77	016	-	£97.68	£99.16
Pipe with Door 250mm	77	017	-	£91.77	£93.05
Starter Pipe with Door 1000mm	77	028	-	-	£199.01
Starter Pipe with Door 500mm	77	029	-	-	£163.03

ELBOW	SYSTEM	SKU	Ø100	Ø125	Ø150
90° Elbow	77	030	-	£81.46	£83.83
90° Elbow Smooth	77	037	-	£108.43	£110.40
45° Elbow	77	031	-	£81.46	£83.83
45° Elbow Smooth	77	038	-	£95.82	£95.50
30° Elbow Smooth	77	039	-	£95.82	£95.50
Adjustable Elbow 0-90° - Stainless Steel	77	033	-	£176.59	£184.50

CONNECTING PIPES - SUPER MATT - VITREOUS ENAMEL

ELBOWS WITH DOORS & TEES	SYSTEM	SKU	Ø100	Ø125	Ø150
90° Elbow with Door	77	040	-	£127.93	£135.79
90° Elbow Smooth with Door	77	052	-	£166.26	£175.59
45° Elbow with Door	77	041	-	£127.93	£135.79
45° Elbow Smooth with Door	77	048	-	£144.64	£152.99
30° Elbow Smooth with Door	77	049	-	£144.64	£152.99
90° Tee	77	035	-	£110.36	£111.92
Tee Cap	77	036	-	£61.87	£61.87

OFFSETS	SYSTEM	SKU	Ø100	Ø125	Ø150
Offset	77	045	-	£196.25	£202.67
Offset with Door	77	046	-	£241.67	£253.08
Offset with adjustable Pipe	77	047	-	£244.49	£257.02



Offset	Offset with Door	Offset with Adjustable Pipe
--------	------------------	-----------------------------

ROSETTES / TRIM PLATES	SYSTEM	SKU	Ø100	Ø125	Ø150
Rosette / Trim Plate	77	090	-	£47.25	£47.18
2 part 90° Rosette Collar - Flat	77	091	-	£104.10	£109.25
2 part 45° Rosette Collar Angled - Flat	77	092	-	£104.10	£109.25

ACCESSORIES	SYSTEM	SKU	Ø100	Ø125	Ø150
Flue Damper	77	100	-	£71.99	£83.37
Adjustable Wall Bracket	77	051	-	£42.06	£42.06
Spare Door	77	101	-	£29.57	£29.57
Test Hole Cover Band	77	120	-	£38.57	£39.15

To generate ORDER CODE:

SYSTEM + **DIAMETER (Ø)** + **SKU**

e.g. Pipe 1000mm Ø150mm = 77-150-010



FUEL TYPE:	Gas, oil and approved solid fuels
DIAMETER RANGE:	100mm, 125mm, 150mm, 175mm, 200mm
INNER CASING MATERIAL:	1.2mm low carbon mild steel
OUTER CASING MATERIAL:	Enamel
COLOURS:	Matt Black (M), Gloss Black (G), White (W)
JOINT METHOD:	Push fit / Jointing compound required on each joint.
DESIGNATION (SEAL):	EN1856-2 T600 N1 D Vm L80120 G375 NMØ125mm
DESIGNATION (NO SEAL):	Yes
CE APPROVED:	Yes
MAX OPERATING TEMPERATURE:	600°C
WARRANTY:	Lifetime warranty

PIPES	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
Pipe 1200mm	7	1200	£126.23	£131.03	£147.85	£162.03	£200.41
Pipe 1000mm	7	1000	£97.94	£101.38	£112.20	£128.16	£155.66
Pipe 600mm	7	600	£72.90	£73.88	£83.99	£98.15	£111.91
Pipe 300mm	7	300	£49.84	£59.63	£70.39	£81.06	£94.22
Adjustable Pipe 550-350mm	7	ADJ	£125.65	£147.27	£169.03	£194.89	£220.95
Adjustable Pipe 1020-600mm	7	ADJL	-	£130.02	£147.27	£213.57	-
Pipe with Flue Damper 115mm	7	DAMPER	£127.16	£134.60	£148.20	£181.93	-

PIPES WITH DOOR	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
Pipe with Door 1200mm	7	1200D	£155.80	£163.11	£177.13	£190.52	£229.68
Pipe with Door 1000mm	7	1000D	£126.44	£129.95	£140.69	£170.33	£183.58
Pipe with Door 600mm	7	600D	£102.39	£103.39	£112.83	£126.44	£140.69
Pipe with Door 300mm	7	300D	£72.90	£81.06	£91.50	£102.39	£115.56

ELBOWS & TEES	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
90° Tee	7	T	£129.95	£138.04	£145.92	£155.80	£236.78
Tee Cap	7	TC	£51.69	£53.41	£56.92	£60.50	£67.66
90° Swept Elbow	7	90S	-	£148.07	£161.82	-	-
90° Mitred Elbow	7	90	£105.03	-	-	£147.85	£173.49
45° Swept Elbow	7	45S	-	£120.43	£138.84	-	-
45° Mitred Elbow	7	45	£83.69	-	-	£128.16	£155.80
30° Mitred Elbow	7	30	£83.69	£94.22	£108.62	£128.16	£155.80
20° Mitred Elbow	7	20	£83.69	£94.22	£108.62	£94.22	-
165° Mitred Elbow	7	165	£120.43	£120.43	£138.84	-	-
45° Mitred Offset	7	45OFF	-	£240.85	£277.73	-	-
Adjustable Elbow 0°-90° (Stainless Steel)	7	B0-90	-	£157.52	£161.10	-	-

To generate ORDER CODE:

SYSTEM + **DIAMETER (Ø)** + **COLOUR** + **SKU**

e.g. Matt Pipe 1200mm Ø150mm = 7-150-M-1200



90° Elbow
Mitred



90° Elbow
Swept with Door



90° Elbow
Mitred with Door



Adjustable Elbow
0° to 90°

www.mi-flues.com

ELBOWS WITH DOORS	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
90° Swept Elbow with Door	7	90SD	-	£184.08	£198.04	-	-
90° Mitred Elbow with Door	7	90D	£133.61	-	-	£176.27	£201.98
45° Swept Elbow with Door	7	45SD	-	£161.59	£175.28	-	-
45° Mitred Elbow with Door	7	45D	£113.85	-	-	£154.94	£183.36
30° Mitred Elbow with Door	7	30D	£113.85	£126.44	£137.40	£154.22	£183.36
20° Mitred Elbow with Door	7	20D	£113.85	£126.44	£137.10	-	-

ADAPTORS	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
Adaptor to Flex	7	FA	£57.64	£62.72	£66.08	£77.97	£81.33
Increasing Adaptor	7	IA	£55.12	£56.14	£59.63	£76.25	-
Cut Length Adaptor	7	CLA	£57.57	£60.50	£65.94	£67.66	£69.53

ACCESSORIES	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
Rosette Collar / Trim Ring	7	R	£33.94	£33.94	£33.94	£42.74	£42.74
2 Piece Rosette Collar / Trim Ring	7	R2	£81.62	£84.41	£88.51	£97.87	£102.10
Enamelled Wall Bracket	7	25	£78.55	£91.56	£83.27	£87.49	£87.49
Adjustable Wall Bracket (Galvanised)	7	23	£83.27	£83.27	£83.27	£87.49	£87.49
Draught Regulator	7	22	£81.62	£81.33	£83.53	£105.74	£162.11
Spare Door for Swept Elbow	7	DOOR-B	-	£21.23	£21.23	-	-
Spare Door for Pipe	7	DOOR-P	-	£26.10	£26.10	-	-

To generate ORDER CODE:

SYSTEM + **DIAMETER (Ø)** + **COLOUR** + **SKU**

e.g. Pipe 1000mm Ø150mm = 7-150-M-1200



Swept with Door



Draught
Regulator

Enamelled
Wall Bracket

MI-VIT LITE

Vitreous Enamel Connecting Pipe 1.0mm - Low Cost Enamel Pipe



To generate ORDER CODE:

SYSTEM + **DIAMETER (Ø)** + **SKU**

e.g. Pipe 1000mm Ø150mm = 27-150-010

ADAPTORS	SYSTEM	SKU	Ø125	Ø150	Ø175	Ø200
Connector Male to Male	27	001	£26.36	£30.92	£39.88	£40.38
Connector Female to Female	27	002	£26.36	£39.88	£29.11	£40.38
Adaptor to Single Wall	27	006	£28.51	£30.27	£37.14	£40.47
Increaser to Single Wall	27	008	£34.34	£44.74	£47.04	-

PIPES	SYSTEM	SKU	Ø125	Ø150	Ø175	Ø200
Pipe 1000mm	27	010	£44.40	£50.25	£59.66	£63.86
Pipe 500mm	27	011	£35.97	£38.61	£44.56	£46.64
Pipe 250mm	27	012	£27.27	£28.82	£38.89	£39.67
Adjustable Pipe 300mm	27	013	£35.97	£41.02	£53.09	£54.80
Pipe with Door 1000mm	27	015	£69.72	£81.24	£105.74	£111.78
Pipe with Door 500mm	27	016	£55.04	£63.50	£85.03	£88.34
Pipe with Door 250mm	27	017	£46.05	£54.93	£75.65	£76.67
Pipe with Damper Section 500mm	27	018	£70.54	£73.26	£80.59	£82.59

ELBOWS & TEES	SYSTEM	SKU	Ø125	Ø150	Ø175	Ø200
90° Elbow	27	030	£37.18	£42.26	£52.95	£59.49
90° Elbow with Door	27	040	£63.80	£72.85	£97.03	£101.80
45° Elbow	27	031	£30.36	£33.86	£41.66	£42.93
45° Elbow with Door	27	041	£52.32	£62.01	£82.52	£85.11
90° Tee	27	036	£30.48	£33.04	£41.71	£43.24
90° Tee with Female Connection	27	037	£65.85	£70.83	£81.48	£92.16
Tee Cap	27	036	£30.48	£33.04	£41.71	£43.24

SUPPORTS	SYSTEM	SKU	Ø125	Ø150	Ø175	Ø200
Wall Bracket	27	051	£31.92	£38.33	£41.87	£42.74
Screw Support	27	052	£24.17	£24.78	£29.85	£29.26

TERMINALS	SYSTEM	SKU	Ø125	Ø150	Ø175	Ø200
Rain Cap	27	090	£57.10	£61.54	£74.72	£81.93
Horizontal Terminal	27	091	£40.59	£41.38	£53.77	£55.02

ACCESSORIES	SYSTEM	SKU	Ø125	Ø150	Ø175	Ø200
Finishing / Trim Plate	27	096	£26.10	£27.60	£39.22	£41.92



FUEL TYPE:	Gas, oil and approved solid fuels
DIAMETER RANGE:	100mm, 125mm, 150mm, 175mm, 200mm
INNER CASING MATERIAL	1.0mm low carbon mild steel
OUTER CASING MATERIAL	Enamel
JOINT METHOD:	Friction fit, only requires jointing compound at the appliance connection
DESIGNATION (SEAL):	EN1856-2 T600 N1 D Vm L80100 G375 NMØ125mm
HETAS APPROVED:	Yes
CE APPROVED:	Yes
MAX OPERATING TEMPERATURE:	600°C
WARRANTY:	1 Year product warranty

To generate ORDER CODE:

SYSTEM + DIAMETER (Ø) + SKU

e.g. Pipe 1000mm Ø150mm = 38-150-1000

ADAPTORS	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
Adaptor	38	ADP	-	£102.81	£102.81	-	-
Increaser	38	INC	£102.09	£102.09	£102.09	-	-
Adaptor to Chesney Stove	38	ADPCHES	-	£47.68	-	-	-

PIPES	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
Pipe 1000mm	38	1000	£76.27	£78.88	£81.21	£106.03	£111.12
Pipe 500mm	38	500	£49.63	£51.29	£52.78	£68.96	£72.28
Pipe 250mm	38	250	£38.16	£39.46	£40.62	£53.13	£55.58
Starter Pipe 1000mm	38	1000SL	-	-	£141.97	-	-
Starter Pipe 500mm	38	500SL	-	-	£108.97	-	-
Starter Pipe 250mm	38	250SL	-	-	£95.00	-	-
Adjustable Pipe	38	ADJ	-	£91.75	£96.71	£132.69	£141.36
Pipe with Damper	38	D	£99.69	£104.20	£115.49	£135.80	£137.78

PIPES WITH DOOR	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
Pipe with Door 1000mm	38	1000D	£124.43	£125.28	£130.18	£156.85	£158.25
Pipe with Door 500mm	38	500D	£101.37	£97.68	£99.16	£119.78	£121.72
Pipe with Door 250mm	38	330D	£95.24	£91.77	£93.05	-	-
Starter Pipe with Door 1000mm	38	1000SLD	-	-	£199.01	-	-
Starter Pipe with Door 500mm	38	500SLD	-	-	£163.03	-	-

ELBOWS & TEES	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
90° Elbow	38	90	£80.30	£81.46	£83.83	£111.11	£112.15
45° Elbow	38	45	£80.30	£81.46	£83.83	£111.11	£112.15
90° Elbow with Door	38	90D	£117.83	£127.93	£135.79	£161.37	£162.98
45° Elbow with Door	38	45D	£117.83	£127.93	£135.79	£161.37	-
Adjustable Elbow 0-90° - Stainless	77	033	-	£176.59	£184.50	-	-
90° Tee	38	T	-	£110.36	£111.92	£185.42	£187.29
Tee Cap	38	TC	-	£61.87	£61.87	£64.20	£61.87

OFFSETS	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
Offset	38	OS	-	£196.25	£202.67	-	-
Offset with Door	38	OSD	-	£241.67	£253.08	-	-
Offset with adjustable Pipe	38	OST	-	£244.49	£257.02	-	-

ACCESSORIES	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
Flue Damper	38	FD	£97.24	£100.39	£113.79	£138.93	£88.69
Adjustable Wall Bracket	38	23	£43.65	£42.06	£42.06	£43.65	£42.06
Rosette Collar / Trim Plate	38	R	£49.95	£47.25	£47.18	£62.77	£59.16

To generate ORDER CODE:

SYSTEM + DIAMETER (Ø) + SKU

e.g. Pipe 1000mm Ø150mm = 38-150-1000



FUEL TYPE:	Gas, oil and approved solid fuels
DIAMETER RANGE:	100mm, 125mm, 150mm, 175mm, 200mm
INNER CASING MATERIAL	1.2mm low carbon mild steel
OUTER CASING MATERIAL	Enamel
COLOURS:	Matt Black (M), Gloss Black (G), White (W)
JOINT METHOD:	Push fit
DESIGNATION (SEAL):	EN1856-2 T600 N1 D Vm L80120 G375 NMØ125mm
HETAS APPROVED:	Yes
CE APPROVED:	Yes
MAX OPERATING TEMPERATURE:	600°C
WARRANTY:	2 Year product warranty

PIPES	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
Pipe 1200mm	47	1200	£78.28	£74.76	£79.56	£100.35	-
Pipe 1000mm	47	1000	£60.67	£65.31	£70.32	£86.97	£98.54
Pipe 600mm	47	600	£40.46	£40.35	£45.10	£60.81	£78.41
Pipe 300mm	47	300	£30.85	£36.93	£43.56	£50.18	-
Adjustable Pipe	47	ADJ	£60.89	£82.43	£84.38	£94.45	-
Pipe with Flue Damper 115mm	47	DAMPER	£126.75	£126.75	£126.75	-	-

PIPES WITH DOOR	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
Pipe with Door 1200mm	47	1200D	£96.46	£101.00	£109.68	£117.98	-
Pipe with Door 1000mm	47	1000D	£78.28	£81.19	£87.10	£105.46	£113.69
Pipe with Door 600mm	47	600D	£63.42	£64.03	£70.87	£78.28	-
Pipe with Door 300mm	47	300D	£45.14	£50.18	£56.65	£63.41	-

ELBOWS & TEES	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
90° Tee including Tee Cap	47	T	£80.49	£85.46	£90.36	£96.46	-
90° Mitred Elbow	47	90	£65.04	£73.40	£88.00	£91.53	-
45° Mitred Elbow	47	45	£51.84	£58.36	£67.27	£79.37	-
30° Mitred Elbow	47	30	£51.84	£58.36	£67.27	£79.37	-
20° Mitred Elbow	47	20	£51.84	£58.36	£67.27	-	-
45° Mitred Offset	47	45OFF	-	£220.77	£226.80	-	-
Adjustable Elbow 0°-90° (Stainless Steel)	7	B0-90	-	£157.52	£161.10	-	-

ELBOWS WITH DOORS	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
90° Mitred Elbow with Door	47	90D	£96.43	£97.00	£97.60	£109.15	-
45° Mitred Elbow with Door	47	45D	£70.51	£78.28	£84.93	£95.94	-
30° Mitred Elbow with Door	47	30D	£70.51	£78.28	£84.93	£95.94	-
20° Mitred Elbow with Door	47	20D	£70.51	£78.28	£84.93	-	-

ADAPTORS	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
Adaptor to Flex	47	FA	£35.67	£38.83	£40.92	-	-
Increasing Adaptor	47	IA	£55.81	£55.81	£55.81	£55.81	-
Cut Length Adaptor	47	CLA	£35.64	£37.46	£40.83	£41.91	-

ACCESSORIES	SYSTEM	SKU	Ø100	Ø125	Ø150	Ø175	Ø200
Rosette Collar / Trim Ring	47	R	£29.83	£29.83	£29.83	-	-
2 Piece Rosette Collar / Trim Ring	47	R2	£39.90	£40.88	£42.89	-	-
Adjustable Wall Bracket (Galvanised)	7	23	£83.27	£83.27	£83.27	£87.49	£87.49
Draught Regulator	7	22	£81.62	£81.33	£83.53	£105.74	£162.11

To generate ORDER CODE:

SYSTEM + **DIAMETER (Ø)** + **COLOUR** + **SKU**

e.g. Matt Ø150mm Pipe 1000mm = 47-150-M-1000

www.mi-flues.com



To generate ORDER CODE:

SYSTEM + **DIAMETER (Ø)** + **SKU**

e.g. Ø80mm Pipe 1000mm = 43-80-010

ADAPTORS	SYSTEM	SKU	Ø80	Ø100
Connector Male/Male	43	001	£30.59	£31.48
Connector Female/Female	43	002	£30.59	£31.48
Adaptor to SW	43	003	£25.65	£34.19
Connector Male/Male	43	006	£23.23	£27.30
Increaser SW to SW Ø80-90	43	007	£26.55	£28.05
Increaser SW to SW Ø80-100	43	008	£33.83	£40.32
Connector Male/Female 75mm	43	100	£42.57	£44.80
PIPES	SYSTEM	SKU	Ø80	Ø100
Pipe 1000mm	43	010	£40.56	£46.36
Pipe 500mm	43	011	£31.94	£33.96
Pipe 250mm	43	012	£29.16	£30.23
Adj. Pipe 300mm	43	013	£42.27	£44.11
Pipe with Door 1000mm	43	015	£69.50	£75.82
Pipe with Door 500mm	43	016	£60.99	£64.66
Damper Pipe 500mm	43	018	£75.64	£77.47
ELBOWS & TEES	SYSTEM	SKU	Ø80	Ø100
90° Elbow	43	030	£44.58	£46.00
90° Elbow with Door	43	040	£55.84	£58.21
45° Elbow	43	031	£34.61	£36.07
45° Elbow with Door	43	041	£64.24	£66.30
90° Tee	43	035	£54.32	£62.30
90° Tee (Female Con.)	43	037	£59.99	£68.20
Tee Cap	43	036	£31.77	£33.13
SUPPORTS	SYSTEM	SKU	Ø80	Ø100
Adj. Wall Band	43	051	£34.14	£34.61
Screw Support	43	052	£30.59	£31.84
TERMINALS	SYSTEM	SKU	Ø80	Ø100
Rain Cap	43	090	£55.44	£58.63
Horizontal Terminal	43	091	£37.97	£40.04
ACCESSORIES	SYSTEM	SKU	Ø80	Ø100
Seal	43	095	£4.43	£2.76
Rosette / Finishing Plate	43	096	£26.28	£27.10

EUROS^W1

Smooth 1mm 316 Stainless Steel



FUEL TYPE:	Gas, oil and approved solid fuels
DIAMETER RANGE:	125mm, 150mm, 175mm, 200mm
MATERIAL:	1.2mm 316 grade stainless steel
JOINT METHOD:	Friction fit, only requires jointing compound at the appliance connection
DESIGNATION:	EN1856-2 T450 N2 D Vm L50100 G375 NMØ125mm
CE APPROVED:	Yes
MAX OPERATING TEMPERATURE:	600°C
WARRANTY:	2 Year product warranty

To generate ORDER CODE:

SYSTEM + DIAMETER (Ø) + SKU

e.g. Ø150mm Pipe 1000mm = 31-150-010

ADAPTORS	SYSTEM	SKU	Ø125	Ø150	Ø175	Ø200
Adaptor - Male to Male	31	001	£42.52	£46.67	£55.65	£59.78
Increaser to Single Wall	31	002	£79.24	£89.11	£108.29	-
Adaptor - Female to Female	31	003	£49.52	£54.39	£65.35	£70.23
Adaptor to Chesney Stove	31	004	£52.50	£57.75	-	-
Adaptor - Euro Stove 500mm (189OD)	31	009	-	-	-	£126.24

PIPES	SYSTEM	SKU	Ø125	Ø150	Ø175	Ø200
Pipe 1000mm	31	010	£105.40	£110.13	£121.72	£136.43
Pipe 500mm	31	011	£58.21	£60.04	£68.63	£77.14
Pipe 250mm	31	012	£37.21	£42.85	£46.60	£51.74
Adjustable Pipe 400-250mm	31	013	£86.09	£96.80	£116.38	£127.56
Pipe with Door 250mm	31	015	£99.39	£125.33	£152.52	£194.30

ELBOWS & TEES	SYSTEM	SKU	Ø125	Ø150	Ø175	Ø200
90° Elbow	31	030	£70.11	£77.25	£89.51	£108.10
45° Elbow	31	031	£50.41	£55.26	£66.00	£71.49
30° Elbow	31	032	£50.41	£55.26	£66.00	£71.49
15° Elbow	31	033	£50.41	£55.26	£66.00	£71.49
90° Tee	31	035	£77.99	£86.11	£119.63	£133.66
Tee Cap	31	036	£27.94	£31.87	£44.50	£48.93

ACCESSORIES	SYSTEM	SKU	Ø125	Ø150	Ø175	Ø200
Base Support	31	060	£188.81	£284.95	£292.48	£309.17
50mm Offset	31	040	£100.83	£110.52	-	-
Anti-Wind Terminal	31	091	£104.74	£111.51	£131.84	£168.63
Cone Top Terminal	31	092	£45.88	£51.79	£65.28	£72.83
Damper Unit	31	006	£322.22	£338.53	£358.05	£375.01



Base Support

50mm Offset

Anti-Wind Terminal

Cone Top

Damper Unit

www.mi-flues.com

Sales: 01253 600 060
Sales Fax: 01253 600 061E-mail: sales@mi-flues.com
E. & O.E.



FUEL TYPE:	Gas, oil & approved solid fuels (only suitable for dry, non-condensing applications)
DIAMETER RANGE:	125mm, 150mm, 175mm, 200mm
MATERIAL:	1.0mm 316 (1.4404) Stainless Steel
JOINT METHOD:	Push / Friction fit
DESIGNATION:	EN1856-2 T600 N1 W V2 L50100 G(400) M EN1856-2 T600 N1 W V2 L50100 G(XX) NM
CE APPROVED:	Yes
MAX OPERATING TEMPERATURE:	600°C
WARRANTY:	10 Year product warranty

To generate ORDER CODE:

SYSTEM + **DIAMETER (Ø)** + **SKU**

e.g. Ø150mm 90° Elbow = 1-150-030

ADAPTORS	SYSTEM	SKU	Ø130	Ø150	Ø180	Ø200
Adaptor	1	001	£21.85	£22.66	£23.67	£25.91
Increaser	1	002	£74.08	£76.91	£79.41	-
Adaptor to TLPro	1	003	£84.16	£93.11	£102.56	£108.39
Adaptor to NOVA	1	004	£88.97	£94.47	£103.39	£112.24
Adaptor to Flex	1	005	£44.41	£47.83	£54.00	£55.42
Eccentric Increaser	1	009	£79.25	-	-	-

PIPES	SYSTEM	SKU	Ø130	Ø150	Ø180	Ø200
Pipe 1010mm	1	010	£69.43	£78.85	£92.88	£102.37
Pipe 480mm	1	011	£44.19	£48.54	£50.12	£53.45
Pipe 303mm	1	012	£35.46	£38.40	£40.05	£40.14
Pipe 150mm	1	013	£21.00	£23.46	£25.99	£28.81
Pipe with Door 1010mm	1	015	£81.30	£91.29	£106.10	£116.15
Pipe with Door 480mm	1	016	£57.16	£62.23	£64.93	£68.88
Pipe with Door 303mm	1	017	£48.84	£52.48	£55.38	£56.12
Long Adjustable Pipe	1	020	£82.73	£92.39	£106.64	£116.39
Medium Adjustable Pipe	1	021	£55.98	£60.49	£67.38	£69.75
Short Adjustable Pipe	1	022	£43.46	£49.63	£54.30	£55.18

ELBOWS & TEES	SYSTEM	SKU	Ø130	Ø150	Ø180	Ø200
90° Elbow	1	030	£81.30	£84.93	£87.17	£91.82
45° Elbow	1	031	£48.93	£50.52	£52.98	£54.72
30° Elbow	1	032	£48.93	£50.52	£52.98	£54.72
15° Elbow	1	033	£48.93	£50.52	£52.98	£54.72
135° Tee	1	034	£199.42	£224.65	£253.37	£280.52
90° Tee	1	035	£71.96	£74.28	£81.08	£90.18
Tee Cap	1	036	£29.69	£30.97	£33.01	£34.61
Tee Cap with Drain	1	037	£51.21	£52.48	£54.56	£58.90
90° Booted Tee	1	038	£230.31	£257.44	£289.35	£318.42
Adjustable Elbow 0°-90°	1	039	£123.92	£126.65	-	-
90° Elbow with Door	1	040	£95.41	£99.75	£103.48	£109.01
45° Elbow with Door	1	041	£79.16	£85.47	£87.75	£89.73
30° Elbow with Door	1	042	£79.16	£85.47	£87.75	£89.73

OFFSETS	SYSTEM	SKU	Ø130	Ø150	Ø180	Ø200
45° Offset	1	045	£68.97	£73.17	-	-
30° Offset	1	046	£68.30	£72.50	£78.93	£84.05

SUPPORTS	SYSTEM	SKU	Ø130	Ø150	Ø180	Ø200
Standard Wall Guide	1	051	£111.48	£111.71	£112.18	£112.43

CLAY POT ADAPTORS & KITS

1mm 316 Stainless Steel
Chimney Adaptors

FUEL TYPE:	Gas, oil and approved solid fuels
DIAMETER RANGE:	125mm, 150mm, 175mm, 200mm
MATERIAL:	1.0mm 316 grade stainless steel
DESIGNATION:	EN1856-2 T450 N2 D Vm L50100 G375 NMØ125mm
CE APPROVED:	Yes
MAX OPERATING TEMPERATURE:	600°C
WARRANTY:	2 Year product warranty



SPUN POT ADAPTORS



Ø INT. MM	SPUN POT ADAPTOR 8" LINER (11" OD)	SPUN POT ADAPTOR 9" LINER (13" OD)	LONG SPUN POT ADAPTOR 8" LINER (11" OD)
Ø 125	28-SPLA-85 £111.96	28-SPLA-95 £120.12	28-SPLA-85L £173.63
Ø 150	28-SPLA-86 £111.96	28-SPLA-96 £120.12	28-SPLA-86L £176.04

CLAY POT ADAPTORS



Ø INT. MM	CLAY POT ADAPTOR 200MM INTERNAL	CLAY POT ADAPTOR 225MM INTERNAL	CLAY POT ADAPTOR WITH FLEX (INTERNAL) SF	CLAY POT ADAPTOR 200MM EXTERNAL	CLAY POT ADAPTOR 225MM EXTERNAL
Ø 125	28-125-INT200 £183.69	28-125-INT225 £183.69	28-125-INTFLEX £262.54	28-125-EXT200 £232.24	28-125-EXT225 £226.20
Ø 150	28-150-INT200 £201.31	28-150-INT225 £211.39	28-150-INTFLEX £285.26	28-150-EXT225 £237.89	28-150-EXT225 £237.89

OFFSETING CLAY POT ADAPTORS



Ø INT. MM	25MM OFFSET CLAY ADAPTOR	50MM OFFSET CLAY ADAPTOR	75MM OFFSET CLAY ADAPTOR
Ø 125	28-125-INT025 £287.74	28-125-INT050 £287.74	28-125-INT075 £287.74
Ø 150	28-150-INT025 £287.74	28-150-INT050 £287.74	28-150-INT075 £287.74

SUMP ADAPTORS



Ø INT. MM	SUMP ADAPTOR (325MM SQUARE PLATE)
Ø 125	28-5-SA £137.61
Ø 150	28-6-SA £137.61
Ø 175	28-7-SA £137.61
Ø 200	28-8-SA £137.61

CLAY POT KITS



Ø INT. MM	90° CLAY ADAPTOR KIT	45° CLAY ADAPTOR KIT
Ø 125	48-125-INTKIT90 £464.74	48-125-INTKIT45 £440.64
Ø 150	48-150-INTKIT90 £528.66	48-150-INTKIT45 £495.99

INSET STOVE KITS



Ø INT. MM	INSET STOVE KIT 30°	INSET STOVE KIT 45°	INSET STOVE KIT 90° TOP OUTLET
Ø 125	-	-	-
Ø 150	48-150-INS30 £420.60	48-150-INS45 £427.32	48-150-INS90T £483.26

www.mi-flues.com

Sales: 01253 600 060
Sales Fax: 01253 600 061E-mail: sales@mi-flues.com
E. & O.E.

TRADING TERMS AND CONDITIONS

CONDITIONS OF TRADING

1. Definitions:

'The Company' shall mean Mi-Flues Ltd and Taymin Ltd and any trading name under those companies. 'The Buyer' means any persons or body corporate who accept a quotation of the Seller.

'Goods' shall mean all the Products, Articles, Material and Components supplied or otherwise dealt in the Company.

2. Acceptance:

(a) All orders are subject to these Terms and Conditions unless otherwise agreed by a director of the Company in writing. No terms or conditions forwarded by the Buyer, nor verbal representations, warranties guarantees or other statements made by or on behalf of the Company, shall be binding on the Company unless confirmed by a director of the Company in writing.

(b) Notwithstanding acceptance of the Buyer's order the Company can give no warranty or undertaking that the Goods are available and reserves the right to cancel the order if it should be unable to effect the order within a reasonable period of time for any reason beyond its control and in such a case the Company shall not be liable to compensate the Buyer.

3. Quotations & Published Prices:

(a) Any quotation or published price is subject to alteration or withdrawal without prior notice as a result of fluctuations in exchange rates or labour, materials, transport or other costs, beyond the control of the Company, so that the Company has the right to adjust its prices to those prevailing at the time of dispatch.

4. Cancellation / Variations and Returns:

(i) Cancellation of an order cannot be accepted or goods returned for credit unless previously agreed to in writing by the Seller and in the case of goods returned for credit, proof of the original purchase is provided in the form of a delivery note or invoice.

(ii) No variation of any order shall be binding upon the Seller unless the same shall be agreed in writing.

(iii) In the event that the Seller agrees in writing to accept the return of stock items, a charge of 20% of invoice price will be made, such sum representing a reasonable pre-estimate of the Seller's average costs of collection and administration. Stock items means items normally held in stock by the Seller.

(iv) Items specially ordered or manufactured or not normally held by the Seller as stock and will not be accepted for return and credit.

(v) Any goods accepted by the Seller for credit must be returned in re-saleable condition.

(vi) Where the Buyer deals as a consumer he shall be entitled to cancel the contract within seven working days following the placing of the order by sending written notification to the seller at Taymin Business Park, Mitcham Road, Blackpool, Lancashire, FY4 4QN or by sending a fax to 01253 600061 or an email to sales@mi-flues.com

5. Delivery:

(a) Except when order value is less than agreed delivery charge, the Goods will be delivered free of charge to the delivery address given with the Buyer's order and unless there shall be any specific instructions as to whom the consignment should be delivered and whose signature shall be given by way of acknowledgement of receipt of the Goods then the Company shall be obliged only to accept the signature of an apparently authorised person.

(b) The Company cannot permit Goods to be left at any delivery address otherwise than in exchange for a signed receipt nor can such receipt be qualified in any way whatsoever other than to identify a missing item or by describing the damage to any item alleged to be found damaged on delivery.

(c) The Company shall only be obliged to deliver the Goods to the destination given with the order unless such destination is changed by notification in writing and if on delivery an apparently authorised person shall on behalf of the Buyer provide to the Company's driver a written request to deliver the Goods to an alternative address then the driver may at his discretion honour such a request and this shall be entirely at the Buyer's risk and the Company shall not be responsible for any losses thereby occasioned.

(d) The Company reserves the right to levy an additional charge in respect of delivery where it agrees to a change in the address for delivery of the Goods in the event that the value of the order for such Goods is below a minimum order value as determined by the Company from time to time and notified to the Buyer verbally or in writing.

(e) Times and dates quoted for dispatch or completion represent the Company's best estimates only and are given in good faith, time not being of the essence. In the event of the Buyer failing to take delivery at the appointed time and/or place, the Company shall be entitled to charge for all expenses which may be incurred by reason of such failure. The Company shall have no liability to the Buyer for any late delivery or short delivery.

6. Damage or Loss in Transit:

(a) Unless delivery is made by the Company's own transport or personnel, damage or loss in transit will be the responsibility of the carrier. Carrier receipts should be signed unexamined, if so applicable and any Goods broken or damaged in transit should be notified to the

carrier and the company within three days of receipt. Goods should be returned to the Company in the original packing within seven days of clearance by the carrier's inspectors otherwise no claim will be entertained.

(b) Any alleged shortages or defects must also be notified to the Company in writing within three days of receipt of Goods. Should Goods not be delivered within seven working days of date of receipt of invoice for the Goods, immediate notice in writing must be given to the carrier and the Company. In certain circumstances, the Company may agree to the return of Goods for credit but any agreement to accept such returns will always be subject to such Goods being deemed by the Company upon inspection at the Company's premises, to be in a re-saleable condition. In the event of this not being the case, such Goods will be returned to the original delivery address and no credit will be issued.

7. Transfer of Risk and Passage of Title:

(a) Subject to 5(a) but notwithstanding any other provisions hereof, risk in the Goods shall pass to the Buyer at the moment the Goods leave the Company's premises.

(b) Notwithstanding the provisions of sub clause (a) hereof, all property legal and equitable in the Goods or in the case of contracts for the sale or supply of Goods to a Buyer in Scotland, all property title and ownership in the Goods, shall remain in the Company and shall not pass to the Buyer unless and until the moment of payment of the due price of the Goods together with any interest which may have accrued thereon pursuant to Clause 8. To assist the Company in asserting its property rights hereby retained, the Buyer shall (at the Buyer's expense) so store keep and record the Goods as to facilitate their recognition and identification and shall permit the Company to enter the Buyer's premises and re-take such retained Goods.

(c) If the Buyer (i) fails to make any payment to the Company when due, or (ii) proposes to compound with its creditors, applies for an interim order under the Insolvency 1986 or has a bankruptcy petition presented against it or (iii) being a company, enters into voluntary or compulsory liquidation, has a receiver, an administrator or administrative receiver appointed over all or any of its assets or takes or suffers similar action, or if the Company has reasonable cause to believe that any of these events is likely to occur then the Company shall have the right, without prejudice to any other remedies:

- To enter without prior notice, any premises of the Buyer where Goods owned by the Company may be and to repossess and dispose of any Goods owned by it so as to discharge any sums owed to it by the Buyer under this or any other contract;

- To require the Buyer not to resell or part with possession of any Goods owned by the Company until the Buyer has paid in full all sums due to the Company under this or any other contract;

- To withhold delivery of any undelivered Goods and stop any Goods in transit.

(d) The purpose of each contract of sale to which these Terms and Conditions apply is to provide the Buyer with stock for the Buyer's own business as seller of such stock and not to alter them so that they become or are absorbed into some new thing. The Buyer shall deal with the Goods only and strictly in a manner consistent with this purpose.

8. Warranties & Guarantees:

(a) The Company warrants that the Goods are a reasonable quality and will be delivered in a reasonable condition. Any complaint relating to the quality or condition or description of the Goods should be notified to the Company within 3 days of receipt of the Goods and if the Company so demands the Goods will be returned to the Company for examination whereupon if the complaint is found to be justified then the Goods will be replaced free of charge.

(b) Any complaints as to condition or quality relating to part of an order will not affect the liability of the Buyer to make payment within the stipulated time in respect of the remainder of the order. No claim by the Buyer in respect of the Goods shall be accepted or deemed to have been accepted by the Company save by an acceptance in writing signed by a director of the Company. For the avoidance of doubt no employee representative or agent of the Company is authorised to make any representations concerning the Goods or these Terms and Conditions save as agreed in writing and signed by a director of the Company and the Company shall not be liable for any such representations which were not so confirmed.

(c) The Company gives no guarantees or warranties whether specific or implied that the Goods are fit for the purpose for which the Buyer intends to use such Goods whether known or unknown to the Company at the time of the Buyer placing the order other than they are fit for the particular purpose or purposes specified by the manufacturer of the Goods in its literature published from time to time or contained inside the packaging of the Goods.

(d) All other warranties terms and conditions relating to the fitness for purpose of the Goods or otherwise and whether implied by statute or common law or otherwise are hereby excluded to the extent permitted by law.

(e) Notwithstanding anything contained in these Terms and Conditions no liability for death or personal injury caused by negligence of the Company is excluded or

limited in any way whatsoever.

9. Settlement Terms:

(a) Subject to any special terms agreed in writing between the Seller and the Buyer. The payment shall be made in full without set-off or counterclaim within 30 days of delivery of the Goods and the Company shall have the right to cancel or suspend any further orders for Goods in the event that earlier invoices are overdue at the time a further order is received or due to be dispatched.

(b) After the expiration of 30 days from delivery of the Goods the Company shall be entitled to charge interest on the outstanding balance at the rate of 24% per annum from that date until the date of settlement.

(c) In the event that payment is not made within 30 days of delivery of the Goods (without prejudice to any other rights or remedies of the Company) the Company shall be entitled to charge to the Buyer all costs expenses and other liabilities incurred by the Company in obtaining payment including without prejudice to the generality of the above the costs of any collection agency instructed by the Company

10. Insolvency of Buyer:

(i) This clause applies if:

(a) the Buyer makes any involuntary arrangement with its creditors or (being an individual or firm) becomes bankrupt or (being a company) becomes subject to an administration order or goes into liquidation (otherwise than for the purpose of amalgamation or reconstruction); or (b) an encumbrance takes possession or a receiver is appointed of any of the property or assets of the Buyer; or (c) the Buyer ceases or threatens to cease to carry on business; or

(d) the Seller reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly.

(ii) If this clause applies then, without prejudice to any other right or remedy available to the Seller, the Seller shall be entitled to cancel the contract or suspend any further deliveries under the contract without any liability to the Buyer and if the goods have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.

11. Liability:

(i) The Seller's liability whether in respect of one claim or in the aggregate arising out of any contract shall not exceed the purchase price payable under the contract.

(ii) Except as specifically provided in these Conditions, and for death or personal injury resulting from the Seller's negligence, no liability is accepted for any direct or indirect costs, damages or expenses relating to damage to property or injury or loss to any person, firm or company or for any loss of profits or production arising out of or occasioned by any defect in or failure of goods or materials or parts thereof supplied by the Seller.

(iii) The Seller will not be held responsible for unusual wind conditions or turbulence or climatic conditions or geographical conditions which may affect the operation of any chimney and/or appliance. It is for the Buyer to satisfy himself of the suitability of any product intended to be used in any particular location.

(iv) The seller will not be held responsible for opinions expressed by it's sales team regarding suitability for installation or performance of it's products.

12. Jurisdiction:

All orders accepted by the Company for sale and supply of Goods to a Buyer in Scotland and any dispute arising there from shall be governed by Scottish law and subject to the non-exclusive jurisdiction of the Scottish Courts otherwise all orders accepted by the Company shall be governed by English law and subject to the jurisdiction of the English Courts

13. Force Majeure:

The Company shall not be deemed to be in breach of contract or otherwise be liable by reason of any delay in performance or non-performance of any of its obligations hereunder to the extent that such delay or non-performance is due to strike lockout, industrial action or any circumstance beyond the reasonable control of the Company.

14. Preservation:

Any order placed by the Buyer for Goods from the Company and which is governed by these Terms and Conditions may at the option of the Company be registered into books of Council and Session in Scotland for preservation and execution and the Buyer in placing such an order with the Company shall be deemed by their acceptance of the Terms and Conditions hereof, to have agreed to this.

Terms & Conditions issued January 2016

All Prices stated in this pricelist exclude VAT.

Mi-FLUES LTD - DISTRIBUTION CENTRES

Northern Distribution

Mi-Flues Ltd.
Taymin Business Park
Mitcham Road
Blackpool, Lancashire
FY4 4QN

South East Distribution

Mi-Flues Ltd.
20 Brunel Way
Thetford
Norfolk
IP24 1HP

South West Distribution

Mi-Flues Ltd.
Unit 5, Merlin Industrial Park
Priorswood Industrial Estate
Venture Way
Taunton, TA2 8DG

Tel: 01253 600 060 Fax: 01253 600 061
sales@mi-flues.com

Mi-FLUES LTD - TRADE COUNTERS

The Flue House Ltd

Unit 2
St Martins Industrial Estate
Tat Bank Road
Oldbury
B69 4NP

Tel: 0121 555 6789
sales@fluehouse.com

SNH Tradecentre

Unit 1, Netherhale Farm Road
St Nicholas at Wade
Kent
CT7 0LX

Tel : 01843 842727
Fax: 01843 842624
sales@snhuk.co.uk

The Fireplace Warehouse (Andover) Ltd

Units 4 & 5
Glenmore Business Park
Colebrook Way
Andover, Hampshire
SP10 3GQ

Tel: 01264 359777
fireplacewarehouse@hotmail.com

Welsh Dragon

61 Waterloo Road
Capel Hendre
Ammanford
Carmarthenshire
SA18 3RY

Tel: 01269 842620
info@welshdragonstoves.co.uk

Greenflame Installations Limited

Unit 4B Achnagonalin Industrial Estate
Grantown on Spey
Morayshire
PH26 3TA

Tel: 01479 872383
info@greenflameinstallations.co.uk

Chase Heating

Racecourse Road
Pershore
Worcestershire
WR10 2EY

Tel: 01386 555333
Fax: 01386 552269
sales@chaseheating.co.uk

The Flue And Chimney Warehouse

The Old Drift Garage
Main Road
Gwaelod Y Garth
CF15 9HJ

Tel: 0292 0810 608
info@poujoulatwales.com

Nonfumo Flue Systems Ltd

Carousel House
Wycombe Road
Stokenchurch
Bucks
HP14 3RP

Tel: 01494 482044
sales@fluesystems.com

Are you interested in becoming a Trade Counter for Mi-Flues Ltd?



We are looking to establish partnerships all over the country. Loads of benefits, 35% plus margins, we get you customers in your area, customers come to you, and much more... **Interested? Contact Andy on 07730 985 201**

CONNECTING PIPES